

COSHH



Health and Safety Data Sheets

CM MULTI WIPES

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

Product Name: CM Multi Wipes

Manufacturer/Supplier: CM Sealants
44 Selby Road
London
E11 3LT

Phone: 020 8519 6358
Email: info@cmsealants.co.uk

2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredient Name:</u>	<u>CAS No:</u>	<u>Content:</u>	<u>Health:</u>	<u>Risk:</u>
Ethanol	64-17-5	8-16%		

3. HAZARDOUS IDENTIFICATION

Flammable

4. FIRST AID

Inhalation	Move the exposed person to fresh air at once. Perform artificial respiration if breathing has stopped. Keep the affected person warm and at rest. Get prompt medical attention.
Ingestion	N/A. Impregnated moist wipe.
Skin	Remove affected person from source of contamination. Promptly wash contaminated skin with soap or mild detergent and water. Promptly remove clothing if soaked through and wash as above.
Eyes	Promptly wash eyes with plenty of water while lifting the eyelids.

5. FIRE FIGHTING MEASURES

Extinguishing Media

Dry chemicals, sand, dolomite etc. Halon powder, foam or CO₂.

Special Fire Fighting Procedures

Use water to keep fire exposed containers cool and disperse vapours. Keep run off water out of sewer and water sources. Dike for water control. Cool containers exposed to flames with water until well after the fire is out. Move container from fire area if it can be done without risk. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. Use water spray to reduce vapours. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. If risk of water pollution occurs, notify appropriate authorities.

Unusual Fire & Explosion Hazards

May explode in a fire. May form explosive or toxic mixtures with air. May explode when heated or when exposed to flames or sparks. May travel considerable distance to source of ignition and flash back. Vapour explosion and poison hazard indoors, outdoors and in sewers.

6. ACCIDENTAL RELEASE MEASURES

Spill Clean Up Methods

N/A.

7. HANDLING AND STORAGE

Usage Precautions

Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Ventilate well and avoid breathing vapours. Use approved respirator if air contamination is above accepted level. Avoid acids, moisture and combustible materials. Read and follow manufacturers recommendations.

Storage Precautions

Flammable/combustible - Keep away from oxidisers, heat and flames. Keep in cool, dry, ventilated storage and closed containers. Ground container and transfer equipment to eliminate static sparks. Keep containers tightly closed.

Storage Criteria

Store in sealed original containers. Keep out of reach of children. Store away from strong oxidising agents. The storage area should be cool, dry and well ventilated.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

<u>Ingredient Name:</u>	<u>CAS No:</u>	<u>STD:</u>	<u>L EXP.</u> <u>8 HRS 15 MIN:</u>	<u>LT EXP.</u>
Ethanol	64-75-5	OES	1000 ppm	No std
Engineering Measures			Under normal use no special engineering is required.	
Eye Protection			Consider wearing eye protection if eye contact is likely.	
Hygienic Work Practices			Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes wet. DO NOT SMOKE IN THE WORK AREA. Use appropriate hand lotion to prevent defatting and cracking of skin.	
Respiratory Protection			Respiratory protection is not normally required when the product is used in well ventilated areas.	
Hand Protection			The formulation is designed to effectively remove paint, grease and grime from the hands therefore, some defatting of the skin may occur. If this happens it is recommended that a conditioning cream be used in conjunction with Grime Eez Paint wipes.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Impregnated wipes.
Colour:	White fabric
Odour/taste:	Characteristic
Solubility Description:	Miscible with water

10. STABILITY AND REACTIVITY

Stability:	Avoid heat, sparks and flames.
Materials to avoid:	Strong oxidising agents.
Hazardous Decomposition Products:	Flammable gases/vapours/fumes of: Carbon monoxide (CO). Hydrocarbons.

11. TOXICOLOGICAL INFORMATION

Health Warnings:	Irritant of eyes and mucous membranes. Repeated exposure may cause chronic eye irritation.
Route of Entry:	Inhalation. Ingestion. Skin and/or eye contact.
Medical symptoms:	Irritation of eyes and mucous membranes.

12. ECOLOGICAL INFORMATION

Degradability:	Product is inherently biodegradable.
-----------------------	--------------------------------------

13. DISPOSAL CONSIDERATIONS

Disposal Methods:	Do not allow chemical to enter drains or water courses. Do not dispose of where ground or surface water may be affected.
--------------------------	--

14. TRANSPORT INFORMATION

Label for conveyance:	Impregnated wipes in purpose designed polythene containers.
General:	not regulated
Road Transport:	-
UN No. ROAD	-
Proper Shipping Name I:	-
Road Transport Notes:	-

15. REGULATORY INFORMATION

Risk Phrases:	R-10 Flammable
Safety Phrases:	S-51 Use only in a well-ventilated area. S-9 Keep container in a well ventilated place S-16 Keep away from sources of ignition - No smoking.
UK Regulatory References:	The Chemical (Hazard Information and Packaging for Supply) Regulations 1996 Chemicals (Hazard Information & Packaging) Regulations 1993. Health and Safety at Work Act 1974.

16. OTHER INFORMATION

User Notes:

Information contained herein does not constitute the users own assessment of workplace risk as may be required by other Health and Safety legislation.

Issue Date:

5TH January 2016

**CM Sealants
Selby Road
Leytonstone
London
E11 3LT**

**020 8519 6358
info@cmsealants.co.uk**

