



## **CM FOAM STRIP**

### **TECHNICAL DATA SHEET**

**FEBRUARY 2017**

---

#### **DESCRIPTION**

CM Foam strip is a white preformed closed cell polyethylene foam Joint filler.

---

#### **TYPICAL USES**

CM Foam typical uses are :-  
Backing for brickwork / concrete expansion joints.  
Filling voids around window frames.  
Internal backing for fire rated expansion joints.  
Backing for roads , aircraft runways and concrete hardstanding areas prior to jointing.

---

#### **TECHNICAL SPECIFICATION**

Composition:	Closed cell polyethylene foam
Colour:	White [black to order]
Density	35kg/m3
Flash point:	340 C
Transport information:	Not classified as dangerous
Packaging	Packed 500 meters per pack
Sizes	12x12 15x12 20x12 25x12 30x15 40x20mm
	Nb any size can be cut to order

CM Foam is the only approved joint backing foam for all CM Sealants products

---

#### **Storage**

Store in dry conditions between +5°C and +35°C



### **Health & Safety**

Please consult the CM FOAM STRIP Material Safety Data Sheet for further information.

CM FOAM STRIP presents no known health hazards when used as recommended.

As with all chemicals products, care should be taken during use and storage to avoid contact with foodstuffs, skin, eyes and mouth.

If eye contact occurs, flush immediately with water and seek medical attention.

If accidentally ingested, seek medical attention, do not induce vomiting and give copious amounts of water to drink.

Keep out of reach of children and animals.

Reseal containers after use.

---

Products supplied by CM SEALANTS conform to the chemical and physical properties stated in Technical Data Sheets, if they are within their stated shelf life. Any further information or advice both in writing or verbally is given in good faith to assist customers, but as the conditions of use are beyond our control, no warranty is implied or given.

This information must on no account be used as a substitute for necessary prior tests, which alone can determine the suitability for the intended use and assume all risks and liability from the use of the product. The liability of CM SEALANTS will not exceed the original purchase price of the product.

It is the users responsibility to ensure that they have the latest issue of this document.

CM Sealants  
44 Selby Road  
Leytonstone  
London  
E11 3LT

Phone 020 8519 6358  
Email [info@cmsealants.co.uk](mailto:info@cmsealants.co.uk)  
[www.cmsealants.co.uk](http://www.cmsealants.co.uk)